

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DENTASEPT AF ULTRA

Revision date: 26.06.2017

Product code: 00320-0091-GHS

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DENTASEPT AF ULTRA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Instrument disinfectant

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|-------------------------------------------------------------|----------------------------|
| Company name: | Müller-Omicron GmbH & Co. KG | |
| Street: | Schlosserstr. 1 | |
| Place: | 51789 Lindlar | |
| Telephone: | +49 (0) 2266/4742-0 | Telefax: +49 (0) 2266/3417 |
| e-mail: | info@mueller-omicron.de | |
| Responsible Department: | Responsible for the safety data sheet: sds@gbk-ingelheim.de | |

1.4. Emergency telephone

number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Causes severe skin burns and eye damage.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

N,N-didecyl-n-methyl-poly(oxyethyl)ammoniumpropionate

Alcohol ethoxylate C9-C11

Cocos propylene diamine guanidium acetate

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

DENTASEPT AF ULTRA

Revision date: 26.06.2017

Product code: 00320-0091-GHS

Page 2 of 9

P310 Immediately call a POISON CENTER/doctor.
P273 Avoid release to the environment.
P501 Dispose of contents/container to approved disposal company or local collection.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aqueous preparation with detergents and solvents

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|-------------------------------------------------------------------------------------------------------------------------|--------------|------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| 112-34-5 | 2-(2-Butoxyethoxy)ethanol | | | < 10 % |
| | 203-961-6 | 603-096-00-8 | 01-2119475104-44 | |
| | Eye Irrit. 2; H319 | | | |
| 94667-33-1 | N,N-didecyl-n-methyl-poly(oxyethyl)ammoniumpropionate | | | < 10 % |
| | | | 01-2119950327-36 | |
| | Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H302 H314 H400 H410 | | | |
| 68439-46-3 | Alcohol ethoxylate C9-C11 | | | < 10 % |
| | | | | |
| | Acute Tox. 4, Eye Dam. 1; H302 H318 | | | |
| 85681-60-3 | Cocos propylene diamine guanidium acetate | | | < 5 % |
| | 288-198-7 | | | |
| | Flam. Liq. 3, Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1; H226 H302 H314 H400 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.
If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.
In the event of symptoms refer for medical treatment.

After contact with skin

Wash off immediately with soap and plenty of water.
Consult a doctor if skin irritation persists.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Consult (eye) doctor immediately.

After ingestion

Do not provoke vomiting. Consult physician. Attention in case of vomiting - acute danger of suffocating,



Safety Data Sheet

according to Regulation (EC) No 1907/2006

DENTASEPT AF ULTRA

Revision date: 26.06.2017

Product code: 00320-0091-GHS

Page 3 of 9

produced by foaming ingredients. Rinse mouth. Make drink some glasses of water. The decision whether to provoke vomiting is to be taken by a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.
Watch out. Beware, hazard of foam aspiration.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:
carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Additional information

Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.
Ensure adequate ventilation.
Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).
Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).
Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.
Avoid contact with skin, eyes and clothing.
Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities



Safety Data Sheet

according to Regulation (EC) No 1907/2006

DENTASEPT AF ULTRA

Revision date: 26.06.2017

Product code: 00320-0091-GHS

Page 4 of 9

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.
 Keep at temperatures between 5°C and 25°C.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Instrument disinfectant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|----------|---------------------------|-----|-------------------|-----------|---------------|--------|
| 112-34-5 | 2-(2-Butoxyethoxy)ethanol | 10 | 67.5 | | TWA (8 h) | WEL |
| | | 15 | 101.2 | | STEL (15 min) | WEL |

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.
 When using do not eat, drink or smoke.
 Take off immediately all contaminated clothing.
 Avoid contact with skin, eyes and clothing.

Eye/face protection

Tightly fitting goggles (EN 166).
 Eye wash bottle with pure water (EN 15154).

Hand protection

Chemical-resistant gloves (EN 374).
 (recommended: minimum protection index 2, corresponding to a permeation rate > 30 minutes according to EN 374)
 Butyl rubber - Butyl (0,5 mm)
 Fluoro-rubber - FKM (0.4 mm)
 This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.
 Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).



Safety Data Sheet

according to Regulation (EC) No 1907/2006

DENTASEPT AF ULTRA

Revision date: 26.06.2017

Product code: 00320-0091-GHS

Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|--------------------|
| Physical state: | Liquid |
| Colour: | Greenish-blue |
| Odour: | Perfumed (scented) |

Test method

| | | |
|-----------|--------|-------------|
| pH-Value: | 9 - 10 | Concentrate |
|-----------|--------|-------------|

Changes in the physical state

| | |
|------------------------------------------|---------------------|
| Initial boiling point and boiling range: | approx. 100 °C |
| Flash point: | n.a. |
| Lower explosion limits: | n.d. |
| Upper explosion limits: | |
| Ignition temperature: | n.d. |
| Density (at 20 °C): | approx. 1,005 g/cm³ |
| Water solubility: (at 20 °C) | Miscible |
| Viscosity / dynamic: | 16 - 25 mPa·s |

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

 Carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

 Based on available data, the classification criteria are not met.
 No toxicological data available.

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

DENTASEPT AF ULTRA

Revision date: 26.06.2017

Product code: 00320-0091-GHS

Page 6 of 9

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Watch out. Beware, hazard of foam aspiration.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Hazardous water pollutant.

Further information

This concentrate is not allowed to be released into the sewerage, surface water or groundwater.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information



Safety Data Sheet

according to Regulation (EC) No 1907/2006


DENTASEPT AF ULTRA

Revision date: 26.06.2017


Product code: 00320-0091-GHS

Page 7 of 9


Land transport (ADR/RID)

| | |
|------------------------------------------|----------------------------------------------------------------------------------------------------|
| 14.1. UN number: | UN 1903 |
| 14.2. UN proper shipping name: | DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N-didecyl-n-methyl-poly(oxyethyl)ammoniumpropionate) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| |  |
| Classification code: | C9 |
| Limited quantity: | 5 L / 30 kg |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Inland waterways transport (ADN)

| | |
|------------------------------------------|----------------------------------------------------------------------------------------------------|
| 14.1. UN number: | UN 1903 |
| 14.2. UN proper shipping name: | DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N-didecyl-n-methyl-poly(oxyethyl)ammoniumpropionate) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| |  |
| Classification code: | C9 |
| Limited quantity: | 5 L / 30 kg |
| Excepted quantity: | E1 |

Marine transport (IMDG)

| | |
|------------------------------------------|----------------------------------------------------------------------------------------------|
| 14.1. UN number: | UN 1903 |
| 14.2. UN proper shipping name: | DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecylmethyl-poly(oxyethyl)ammonium propionate) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| |  |
| Marine pollutant: | Yes |
| Limited quantity: | 5 L / 30 kg |
| Excepted quantity: | E1 |
| EmS: | F-A, S-B |

Air transport (ICAO-TI/IATA-DGR)

| | |
|---------------------------------------|--------------------------------------------------------------------------------------------------------|
| 14.1. UN number: | UN 1903 |
| 14.2. UN proper shipping name: | DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Didecylmethyl-poly(oxyethyl)ammonium propionate, solution) |



Safety Data Sheet

according to Regulation (EC) No 1907/2006

DENTASEPT AF ULTRA

Revision date: 26.06.2017

Product code: 00320-0091-GHS

Page 8 of 9

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Limited quantity Passenger:

1 L

Passenger LQ:

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:

852

IATA-max. quantity - Passenger:

5 L

IATA-packing instructions - Cargo:

856

IATA-max. quantity - Cargo:

60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

yes



14.6. Special precautions for user

Take the usual precautions when handling with chemicals.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 55: 2-(2-Butoxyethoxy)ethanol

2004/42/EC (VOC):

< 5 %

Additional information

Regulation (EC) No 648/2004 (Regulation on detergents):

Non-ionic surfactants 5 - 15%, Disinfectant, fragrances

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

2 - clearly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

Changes in chapter: 2, 7, 14



Safety Data Sheet

according to Regulation (EC) No 1907/2006

DENTASEPT AF ULTRA

Revision date: 26.06.2017

Product code: 00320-0091-GHS

Page 9 of 9

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
IMDG = International Maritime Code for Dangerous Goods
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
MARPOL = International Convention for the Prevention of Pollution from Ships
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
CAS = Chemical Abstract Service
EN = European norm
ISO = International Organization for Standardization
DIN = Deutsche Industrie Norm
PBT = Persistent Bioaccumulative and Toxic
vPvB = Very Persistent and very Bio-accumulative
LD = Lethal dose
LC = Lethal concentration
EC = Effect concentration
IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

| | |
|------|-------------------------------------------------------|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

